Ecological Momentary Assessment (EMA) in Hearing Research :

Psychometric Characteristics, Limitations, and **Opportunities**

> Yu-Hsiang Wu, MD/PhD, Elizabeth Stangl, AuD, Jorie Schmidt, BA, & Camille Dunn, PhD Department of Communication Sciences & Disorders Department of Otolaryngology—Head and Neck Surgery The University of Iowa

> > ARO 2022

1

Outline

- Why EMA
- Psychometric characteristics of EMA
- Limitations of EMA
- Opportunities of EMA in hearing research

2



3



- Questionnaire and interview
- Limitations:
- Recall bias Low context resolution



1st Average

100th Avera

4





• Experience: "How much speech did you understand in the past 5 min?" Context: "How noisy was it?"

"Auditory ecology"













Summary

- EMA has good construct validity.
- EMA's test-retest Reliability is similar to retrospective questionnaires.
- EMA is more sensitive than retrospective questionnaires.



13

15

14

Burden and compliance

- High burden
 - Repeated measures
 - Intrusive
 - SmartphoneComplex instructions
- Would high burden of EMA generate subject-selection bias?

Can CI users do EMA?

Impact of environment on EMA compliance 100 rate (%) 80 tion 60 40 Survey ii 20 50 60 70 60 80 20 40 80 90 100 Speech label probability (%) Broadband Input (dB SPL) Am Acad Audiol 2021;32:10

16





Summary

- EMA could miss the listening situations that we are interested (e.g., noisy situations).
- Although CI users could do EMA, EMA could generate subjectselection bias.

19

EMA in Hearing Research

20



21



Conclusions

- EMA is valid, reliable, and sensitive.
- EMA has limitations.
- EMA could be implemented to CI users.
- EMA is a powerful tool in hearing research.

Acknowledgements

- NIH/NIDCD (R03DC012551, R01DC015997, P50DC000242)
- National Institute on Disability, Independent Living, and Rehabilitation Research (NIDILRR 90RE5020, 90REGE0013)
- NSF (CNS-1750155)

IOWA



Thank you!	